

R134a Air Conditioning Filling Chart



AUDI

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
A1 (8X1)		05.10-	Sanden PXE14/Delphi CVC comp.	500	15	PAG46	110
A1 (8X1)		05.10-	Denso 6SEU14 comp.	500	15	PAG46	90
A2 (8Z0)		02.00-08.05		510	25	PAG46	180
A3 (8L1)		09.96-05.03	Sanden SD7V16 comp.	775	25	PAG46	135
A3/RS3 (8P1/8PA)		05.03-	Denso 6SEU comp.	525	25	PAG46	90
A3/RS3 (8P1/8PA)		05.03-	Denso 7SEU comp.	525	25	PAG46	130-190
A3/RS3 (8P1/8PA)		05.03-	Sanden/Zexel comp.	525	25	PAG46	100-120
A3/RS3 (8P1/8PA)		05.03-	Delphi comp.	525	25	PAG46	150
A4/S4 (8D2/8D5/B5)		01.95-09.01	Showa condenser	725	25	PAG46	250-300
A4/S4 (8D2/8D5/B5)		01.95-09.01	Modine/AWG condenser	575	25	PAG46	250-300
A4/S4/RS4 (8E2/8E5/B6)		11.00-12.04		505	25	PAG46	180
A4/S4/RS4 (8EC/8ED/B7)		11.04-06.08	=> Seat Exeo	500	15	PAG46	130-180
A4/S4/RS4 (8K2/8K5)		11.07-		600	20	PAG46	150
A5/S5/RS5 (8T/8F)		06.07-		600	20	PAG46	150

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
 18 Belton Road
 Silsden
 West Yorkshire
 BD20 0EE

Tel: 01535 658663
info@ictworkshopsolutions.com
www.ictworkshopsolutions.com

R134a Air Conditioning Filling Chart



AUDI

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
A6/S6/RS6 (4B/C5)		11.97-01.05	20mm PF condenser	775	25	PAG46	250-300
A6/S6/RS6 (4B/C5)		11.97-01.05	18mm PF condenser	675	25	PAG46	250-300
A6/S6/RS6 (4F2/4F5)		05.04-		530	20	PAG46	130
A6/S6/RS6 (4G2/4G5)		03.11-		570	20	PAG46	120
A7 Sportback		10.10-	Denso 6SEU14 comp.	570	20	PAG46	120
A8/S8 (4D2/4D8)		03.94-12.02		800	25	PAG46	250-300
A8/S8 (4E)		10.02-07.10	Denso comp. + red TXV	600	50	PAG46	200
A8/S8 (4E)	6.0i W12/4.0 TDI	10.02-07.10		620	20	PAG46	150
A8/S8 (4H)		11.09-		780	20	PAG46	130
A8/S8 (4H)		11.09-	+ Rear evaporator	930	20	PAG46	130
Allroad (4BH)		05.00-08.05		800	50	PAG46	240-260

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
 18 Belton Road
 Silsden
 West Yorkshire
 BD20 0EE

Tel: 01535 658663
 info@ictworkshopsolutions.com
 www.ictworkshopsolutions.com

R134a Air Conditioning Filling Chart



AUDI

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
Q3		06.11-	Sanden PXE14/Delphi CVC comp.	525	25	PAG46	110
Q3		06.11-	Denso 6SEU14 comp.	525	25	PAG46	90
Q5 (8R)		11.08-		600	20	PAG46	150
Q7 (4L)		03.06-		725	25	PAG46	150
Q7 (4L)		03.06-	+ Rear evaporator	1075	25	PAG46	230-260
R8		04.07-		650	20	PAG46	150
TT/TTS (8N3/8N9)		10.98-06.06		775	25	PAG46	135
TT/TTRS (8J3/8J9)		10.06-		525	25	PAG46	100

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
 18 Belton Road
 Silsden
 West Yorkshire
 BD20 0EE

Tel: 01535 658663
info@ictworkshopsolutions.com
www.ictworkshopsolutions.com