

# R134a Air Conditioning Filling Chart



## SEAT

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
Alhambra I (7V8/7V9)		04.96-07.00		975	25	PAG46	135
Alhambra I (7V8/7V9)		04.96-07.00	+ Rear evaporator	1375	25	PAG46	240
Alhambra I (7V8/7V9)	Facelift	08.00-03.10		725	25	PAG46	135
Alhambra I (7V8/7V9)	Facelift	08.00-03.10	+ Rear evaporator	1075	25	PAG46	240
Alhambra II (710)		06.10-	Denso comp.	610	15	PAG46	135
Alhambra II (710)		06.10-	Denso comp. + Rear evaporator	1000	25	PAG46	240
Alhambra II (710)		06.10-	Sanden comp.	610	15	PAG46	110
Alhambra II (710)		06.10-	Sanden comp. + Rear evap.	1000	25	PAG46	210
Altea (5P1)/Altea XL (5P5/5P8)		03.04-	Denso 6SEU comp.	525	25	PAG46	90
Altea (5P1)/Altea XL (5P5/5P8)		03.04-	Denso 7SEU comp.	525	25	PAG46	130-190
Altea (5P1)/Altea XL (5P5/5P8)		03.04-	Sanden/Zexel comp.	525	25	PAG46	100-120
Altea (5P1)/Altea XL (5P5/5P8)		03.04-	Delphi comp.	525	25	PAG150	150
Arosa (6H)		05.97-06.04	Sanden comp./ => VW Lupo	725	25	PAG46	130
Arosa (6H)		05.97-06.04	Denso comp./ VW Lupo	725	25	PAG46	150
Exeo (3R2)/Exeo ST (3R5)		12.08-	=> Audi A4 (B7)	500	15	PAG46	130-180

Viscosity of PAG (PolyAlkylenGlycol) oil:

**PAG46 = Low**

**PAG100 = Medium**

**PAG150 = High**

ICT Workshop Solutions Ltd  
 18 Belton Road  
 Silsden  
 West Yorkshire  
 BD20 0EE

Tel: 01535 658663  
 info@ictworkshopsolutions.com  
 www.ictworkshopsolutions.com

# R134a Air Conditioning Filling Chart



## SEAT

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
Ibiza III (6K1)/Cordoba (6K2/6K5)		06.99-12.02		775 (RHD 915)	25	PAG46	135
Ibiza IV (6L1)/Cordoba (6L2)		02.02-11.09	=> Skoda Fabia I/VW Polo (9N)	550	25	PAG46	150
Ibiza V 6J1/6J5/6J8)		03.08-	Denso comp.	500	15	PAG46	150
Ibiza V (6J1/6J5/6J8)		03.08-	Sanden comp.	500	15	PAG46	110
Inca (6K9)		11.95-06.03		865 (RHD 915)	25	PAG46	125
Leon I (1M1)		11.99-06.06		775	25	PAG46	135
Leon II (1P1)		05.05-	>> See Altea (5P1)!				
Mii		12.11-	=> Skoda Citigo/VW up	380	10	PAG46	100
Toledo II (1M2)		04.99-05.06		775	25	PAG46	135
Toledo III (5P2)		04.04-05.09	>> See Altea (5P1)!				

Viscosity of PAG (PolyAlkylenGlycol) oil:

**PAG46 = Low**

**PAG100 = Medium**

**PAG150 = High**

ICT Workshop Solutions Ltd  
 18 Belton Road  
 Silsden  
 West Yorkshire  
 BD20 0EE

Tel: 01535 658663  
 info@ictworkshopsolutions.com  
 www.ictworkshopsolutions.com