

R134a Air Conditioning Filling Chart



CITROEN

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
Berlingo (M/MF)		07.96-2002		875	25	PAG46	135
Berlingo (M/MF)		2003-11.09		575	25	PAG46	135
Berlingo		04.08-		450	25	PAG46	135
C1 (PM/PN)	1.0i	06.05-	=> Peugeot 107/Toyota Aygo	450	25	PAG100	80
C1 (PM/PN)	1.4 Hdi	06.05-	=> Peugeot 107/Toyota Aygo	500	25	PAG100	80
C2 (JM)		09.03-05.04	> VIN 10041	625	25	PAG46	135
C2 (JM)		05.04-	VIN 10042 >	500	25	PAG46	135
C3/-Pluriel/-Picasso (FC/HB)		02.02-05.04	> VIN 10041	625	25	PAG46	135
C3/-Pluriel/-Picasso (FC/HB)		05.04-2009	VIN 10042 >	500	25	PAG46	135
C3 II/-Picasso		02.09-		475	25	PAG46	135
C4 (LA/LC)		11.04-09.05	> VIN 10553	670	25	PAG46	135
C4 (LA/LC)		09.05-	VIN 10554 >	450	25	PAG46	135
C4 Picasso/Grand Picasso (UA/UD)		10.06-		480	25	PAG46	135
C4 Picasso/Grand Picasso (UA/UD)		10.06-	+ Rear evaporator	675	25	PAG46	200

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
 18 Belton Road
 Silsden
 West Yorkshire
 BD20 0EE

Tel: 01535 658663
 info@ictworkshopsolutions.com
 www.ictworkshopsolutions.com

R134a Air Conditioning Filling Chart



CITROEN

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
C5 (DC/DE)		03.01-08.04		625	25	PAG46	135
C5 (DC/DE)	2.2Hdi	03.01-08.04		625	25	PAG150	265
C5 II & III/C6 (RC/RD/RE/TD)		08.04-		625	25	PAG46	135
C5 II & III/C6 (RC/RD/RE/TD)	2.2 Hdi/2.7 Hdi	08.04-		525	25	PAG46	135
C8 (EA/EB)		07.02-		675	25	PAG46	135
C8 (EA/EB)	2.0 Hdi/2.2 Hdi	07.02-		540	25	PAG46	135
C-Crosser (EP)		02.07-	=> Mits Outlander/Peugeot 4007	500	20	PAG46	100
C-Zero Electric		10.10-	=> Mitsubishi i-MiEV/Peugeot iOn	325	10	PAG46	100
Dispatch/Jumpy I&II (BU/BS/BT/BY/BV/BW/BX/BZ/U6U)		2002-10.06		600	50	PAG46	135
Dispatch/Jumpy I&II (BU/BS/BT/BY/BV/BW/BX/BZ/U6U)		2002-10.06	Short version + Rear evap.	900	50	PAG46	180
Dispatch/Jumpy I&II (BU/BS/BT/BY/BV/BW/BX/BZ/U6U)		2002-10.06	Long Version + Rear evap.	1000	50	PAG46	180
Dispatch/Jumpy III		01.07-		540	25	PAG46	135
Dispatch/Jumpy III		01.07-	Short Version + Rear evap.	850	25	PAG46	180
Dispatch/Jumpy III		01.07-	Long Version + Rear evap.	950	25	PAG46	180

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
18 Belton Road
Silsden
West Yorkshire
BD20 0EE

Tel: 01535 658663
info@ictworkshopsolutions.com
www.ictworkshopsolutions.com

R134a Air Conditioning Filling Chart



CITROEN

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
DS3		04.10-		500	25	PAG46	135
DS4		04.11-		425	25	PAG46	135
Jumper I&II/Relay I&II (230/244)		02.94-04.06		800	25	PAG100	135
Jumper I&II/Relay I&II (230/244)		02.94-04.06	+ Rear evaporator	1000	25	PAG100	180
Jumper III/Relay III		04.06-		550	25	PAG46	140
Jumper III/Relay III		04.06-	+ Rear evaporator	950	25	PAG46	180-220
Nemo (AA)		02.08-		500	25	PAG46	135
Saxo (S0/S1)		02.96-04.04		775	25	PAG46	135
Xantia (X2)		01.98-04.03		825	25	PAG150	250-280
Xantia (X2)	3.0i V6	01.98-04.03		725	25	PAG46	135
Xsara (N0/N1/N2)		2000-08.05		565	25	PAG46	135
Xsara Picasso (N68)		12.99-01.10		625-775		PAG46	135

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
 18 Belton Road
 Silsden
 West Yorkshire
 BD20 0EE

Tel: 01535 658663
info@ictworkshopsolutions.com
www.ictworkshopsolutions.com