

R134a Air Conditioning Filling Chart



mitsubishi

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
ASX (GAW)		02.10-		500	20	PAG46	80
Carisma (DA)	Petrol	07.95-06.06		700	20	PAG46	120
Carisma (DA)	Diesel	10.96-06.06		700	20	PAG100	135
Colt V (CJA)		09.95-07.05		575	20	PAG46	60
Colt VI (Z)/CZC (RG)		06.04-2008		430	20	PAG46	100
Colt VII (Z2/CZ)		01.08-		430	20	PAG46	110
Galant VI (EA)		09.96-10.04		690	20	PAG46	120
Galloper (JK-01)		02.99-12.03	=> Hyundai Galloper II	780	20	PAG46	170
Galloper (JK-01)		02.99-12.03	+ Rear evaporator	1175	25	PAG46	220
Grandis (NAW)		04.04-2010		560	20	PAG46	150
Grandis (NAW)		04.04-2010	+ Rear evaporator	750	20	PAG46	190
i-MiEV	Electric	07.09-	=> Citroen C-Zero/Peugeot iOn	325	10	PAG46	100
L200 (KT)		06.96-03.03		575	25	PAG46	180
L 200 (KBT/KAT)		11.05-		555	20	PAG46	130
Lancer VI (CK/PA)		09.95-2003		700	20	PAG46	130
Lancer VII (CSA/W)		09.03-2008		500	20	PAG46	130
Lancer VIII (CY/ZA/CXA)		01.08-		500	20	PAG46	90

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd

18 Belton Road

Silsden

West Yorkshire

BD20 0EE

Tel: 01535 658663

info@ictworkshopsolutions.com

www.ictworkshopsolutions.com

R134a Air Conditioning Filling Chart



mitsubishi

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
Outlander I (CU)		02.03-2006		550	20	PAG46	120
Outlander II (CWW)		11.06-	=> Citroen C-Crosser/Peugeot 4007	500	20	PAG46	100
Pajero III/Shogun III (V60/V70)		04.00-2006		525	20	PAG46	125
Pajero III/Shogun III (V60/V70)		04.00-2006	+ Rear evaporator	750	20	PAG46	160
Pajero Sport/Shogun Sport (K90)		11.97-2008		625	25	PAG46	170
Pajero Pinin/Shogun Pinin (H6W/H7W)		03.99-2006		620 (RHD 570)	20	PAG100	160
Pajero IV/Shogun IV (V80/V90)		11.06-		550	20	PAG46	120
Pajero IV/Shogun IV (V80/V90)		11.06-	+ Rear evaporator	870	20	PAG46	160
Space Wagon (N5W)		10.98-2004		575	25	PAG46	80
Space Star (DG0)		06.98-2005		680	20	PAG46	120

MITSUBISHI FUSO TRUCKS

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
Canter		10.97-		675	25	PAG46	130

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
 18 Belton Road
 Silsden
 West Yorkshire
 BD20 0EE

Tel: 01535 658663
info@ictworkshopsolutions.com
www.ictworkshopsolutions.com