

R134a Air Conditioning Filling Chart



PEUGEOT

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
106 II (1)		04.96-2003		860	25	PAG46	135
106 II (1)	1.6 Gti/Diesel	04.96-2003		600	25	PAG46	135
107	1.0i	06.05-	=> Citroen C1/Toyota Aygo	450	25	PAG100	80
107	1.4 HDi	06.05-	=> Citroen C1/Toyota Aygo	500	25	PAG100	80
206 (2A/C)/206 CC (2D)		08.98-2010		700	20	PAG46	135
206 (2A/C)/206 CC (2D)	2.0i/1.6 HDi	08.98-2010		650	20	PAG46	135
207 (WA/WC/WK)/207 CC (WD)		02.06-		450	25	PAG46	135
306 (7A/7B/7C/7E/N3/N5)		1997-04.02		725	25	PAG46	135
307 (3A/C/3E)/307 CC (3B)/307 SW (3H)		08.00-06.04		585	25	PAG46	135
307 (3A/C/3E)/307 CC (3B)/307 SW (3H)		06.04-2008		450	25	PAG46	135
308 (4A/4C)/308 CC/308 SW		09.07-	Denso 5SEL12C comp.	450	25	PAG46	80
308 (4A/4C)/308 CC/308 SW		09.07-		450	25	PAG46	135
3008		06.09-		450	25	PAG46	130
406 (8B/8E/F)/406 Coup • (8C)		1999-12.04	Delphi comp.	625	25	PAG150	265
406 (8B/8E/F)/406 Coup • (8C)		1999-12.04	Sanden comp.	625	25	PAG46	135

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
 18 Belton Road
 Silsden
 West Yorkshire
 BD20 0EE

Tel: 01535 658663
 info@ictworkshopsolutions.com
 www.ictworkshopsolutions.com

R134a Air Conditioning Filling Chart



PEUGEOT

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
407 (6D)/407 Coup • (6C)/407 SW (6E)	Petrol	05.04-		625	25	PAG46	135
407 (6D)/407 Coup • (6C)/407 SW (6E)	Diesel	05.04-		525	25	PAG46	135
4007 (GP)		02.07-	=> Citroen C-Crosser/Mits. Outlander	500	20	PAG46	100
508/508 SW		11.10-		525	25	PAG46	135
5008		09.09-		450	20	PAG46	130
607 (9D/9U)		01.00-09.10		625	25	PAG46	135
607 (9D/9U) Facelift	3.0i V6/2.2 HDi	11.04-09.10		550	25	PAG46	135
607 (9D/9U) Facelift	2.7 HDi	11.04-09.10		600	25	PAG46	135
806 (221)		06.94-08.02		950	25	PAG46	135
807 (E)		06.02-		600	25	PAG46	135
1007 (KM)		04.05-2009		500	25	PAG46	135
Bipper (AA)/Bipper Tepee		02.08-		500	25	PAG46	135
Boxer II (244)		04.02-2006		550	25	PAG46	135
Boxer II (244)	Petrol	04.02-2006	+ Rear evaporator	925-1100	25	PAG46	200
Boxer II (244)	Diesel	04.02-2006	+ Rear evaporator	825-975	25	PAG46	200

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd

18 Belton Road

Silsden

West Yorkshire

BD20 0EE

Tel: 01535 658663

info@ictworkshopsolutions.com

www.ictworkshopsolutions.com

R134a Air Conditioning Filling Chart



PEUGEOT

Model	Specific Model/Type	Date of Manufacture	Information	R134a (grams)	+/- grams	ISO	+/- 10ml
Boxer III (250)		04.06-		550	25	PAG46	135
Boxer III (250)		04.06-	+ Rear evaporator	950	25	PAG46	200
Expert I (222/223/224)		07.95-12.06	=> Citroen Jumpy I&II/Fiat Scudo I	975	25	PAG46	135
Expert II/Expert Tepee (229/VF3A/VF3U/VF3X)	Petrol	01.07-		675	25	PAG46	135
Expert II/Expert Tepee (229/VF3A/VF3U/VF3X)	Diesel	01.07-		540	25	PAG46	135
Expert II/Expert Tepee (229/VF3A/VF3U/VF3X)	Diesel	01.07-	+ Rear evaporator	900	25	PAG46	175
iOn Electric		11.10-	=> Citroen C-Zero/Mitsubishi i-MiEV	325	10	PAG46	100
Partner I (5/5F) Facelift		2003-2009		575	25	PAG46	135
Partner II/Partner Tepee		04.08-		450	20	PAG46	135
RCZ		03.10-		450	20	PAG46	135

Viscosity of PAG (PolyAlkylenGlycol) oil:

PAG46 = Low

PAG100 = Medium

PAG150 = High

ICT Workshop Solutions Ltd
 18 Belton Road
 Silsden
 West Yorkshire
 BD20 0EE

Tel: 01535 658663
 info@ictworkshopsolutions.com
 www.ictworkshopsolutions.com